


# North Monterey County Unified School District



## District Policy on Suicide Prevention & Intervention



# Table of Contents

Introduction.....	3
List of Contributors.....	4
Purpose.....	4
Definitions.....	5
Prevention.....	7
Intervention.....	8
Parental Notification and Involvement.....	9
Re-entry Procedure.....	10
In-School Suicide Attempts.....	11
Out-of-School Suicide Attempts.....	11
After a Suicide Death.....	11
Student Handbook.....	15
School-Based Mental Health Supports.....	16
Risk Factors and Protective Factors.....	17
Suicide Prevention Task Force.....	19
Referrals and LGBTQ Youth.....	20
Bullying and Suicide.....	20
Relevant State Laws.....	21
Messaging and Suicide Contagion.....	22
“Go Kit” for Schools - Elementary.....	23
Everything you need to respond to a suicidal risk or attempt, in the moment.....	23
Flow Chart.....	24
Columbia Severity Scale.....	25
Primary Safety Plan.....	26
Administrator/Case Manager Phone.....	30
Secondary Safety Plan.....	31
Incident Documentation Form.....	34
Parent Contact Acknowledgement Form (English).....	35
Parent Contact Acknowledgement Form (Spanish).....	36
Release of Information (English).....	37
Release of Information (Spanish).....	38
Resources.....	39

# Introduction

Protecting the health and well-being of students is in line with school mandates and is an ethical imperative for all professionals working with youth. Because it is impossible to predict when a crisis will occur, preparedness is necessary for every school district. Furthermore, prevention programs and policies can help to deter suicide, rather than just acting in response. On average, a young person dies by suicide every hour and 25 minutes in the U.S.<sup>2</sup> For every young person who dies by suicide, an estimated 100-200 youth make suicide attempts. Youth suicide is preventable, and educators and schools are key to prevention.

California *Education Code (EC)* Section 215, as added by Assembly Bill 2246, (Chapter 642, Statutes of 2016) mandates that the Governing Board of any local educational agency (LEA) that serves pupils in grades seven to twelve, inclusive, adopt a policy on pupil suicide prevention, intervention, and postvention. The policy shall specifically address the needs of high-risk groups, including suicide awareness and prevention training for teachers, and ensure that a school employee acts within the authorization and scope of the employee's credential or license. For more information on AB 2246 Pupil Suicide Prevention Policies, go to the California Legislative Information Web page:

[https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill\\_id=201520160AB2246](https://leginfo.legislature.ca.gov/faces/billNavClient.xhtml?bill_id=201520160AB2246).

North Monterey County Unified BP5141.52 [Board Policy on Suicide Prevention](#) and AR5141.52 [Administrative Regulation](#) and BP6164.2 [Board Policy on Guidance/Counseling Services](#).

For resources regarding youth suicide prevention, go to the State Superintendent of Public Instruction (SSPI) letter regarding Suicide Prevention Awareness Month on the California Department of Education (CDE) Web page at <http://www.cde.ca.gov/nr/el/le/yr16ltr0901.asp> and the Directing Change For Schools Web page at <http://www.directingchange.org/schools/>.

North Monterey County Unified School District is adamant about promoting prevention of suicide and intervention for those in a suicidal crisis. This handbook serves as a resource for administrators, counselors, teachers and other staff. Suicide prevention takes a community wide effort. As emphasized in the National Strategy for Suicide Prevention, preventing suicide depends not only on suicide prevention policies, but also on a holistic approach. This approach promotes a wellness culture that encompasses multiple dimensions, including social and mental health, and the participation of families and communities. Thus, this policy is intended to be paired with other policies and efforts, such as social-emotional learning or a Multi-tiered System of Support, to support the emotional and behavioral well-being of our students.

# List of Contributors

This manual was developed by North Monterey County Unified School District's Social-Emotional Team which consists of the following:

- 1) School psychologists
- 2) Licensed Mental Health Clinicians
- 3) Licensed Social Workers
- 4) Interns
- 5) Specialist of Special Services
- 6) Board Certified Behavior Analysts
- 7) Behavior Technicians
- 8) Director of Special Services
- 9) Assistant Superintendent for Student and Family Services

We appreciate their collaboration, commitment, and dedication to the development of this manual and their ongoing efforts to create a safe and caring environment for all students and staff.

## Purpose

The purpose of this policy is to protect the health and well-being of all students by having procedures in place to prevent, assess the risk of, intervene in, and respond to suicide. North Monterey County Unified School District (NMCUSD):

- Recognizes that physical and mental health are integral components of student outcomes, both educationally and beyond graduation
- Further recognizes that suicide is a leading cause of death among young people
- Has an ethical responsibility to take a proactive approach in preventing deaths by suicide
- Acknowledges the school's role in providing an environment that is sensitive to individual and societal factors that place youth at greater risk for suicide and helps to foster positive youth development and resilience
- Acknowledges that comprehensive suicide prevention policies include prevention, intervention, and postvention components. This policy is meant to be paired with other policies supporting the overall emotional and behavioral health of students.

## Scope

This policy covers actions that take place in the school, on school property, at school-sponsored functions and activities, on school buses or vehicles, at bus stops, and at school-sponsored out-of-school events where school staff are present. This policy applies to the entire school community, including educators, school and district staff, students, parents/guardians, and volunteers. This policy also covers appropriate school responses to suicidal or high-risk behaviors that take place outside of the school environment.

# Definitions

## At-Risk

Suicide risk is not a dichotomous concern, but rather, exists on a continuum with various levels of risk. Each level of risk requires a different level of response and intervention by the school and the district. A student who is defined as high-risk for suicide is one who has made a suicide attempt, has the intent to die by suicide, or has displayed a significant change in behavior suggesting the onset of potential mental health conditions or a deterioration of mental health. The student may have thoughts about suicide, including potential means of death, and may have a plan. In addition, the student may exhibit behaviors or feelings of isolation, hopelessness, helplessness, and the inability to tolerate any more pain. This situation would necessitate a referral, as documented in the following procedures. The type of referral, and its level of urgency, shall be determined by the student's level of risk.

## Crisis Team

A multidisciplinary team of administrative staff, mental health professionals, safety professionals, and support staff whose primary focus is to address crisis preparedness, intervention, response and recovery. Crisis Team members often include someone from the administrative leadership, school psychologists, school counselors, school social workers, school nurses, school resource officers, and others including support staff and/or teachers. These professionals have been specifically trained in areas of crisis preparedness and take a leadership role in developing crisis plans, ensuring school staff can effectively execute various crisis protocols, and may provide mental health services for effective crisis interventions and recovery supports. Crisis team members who are mental health professionals may provide crisis intervention and services.

## Mental Health

A state of mental, emotional, and cognitive health that can impact perceptions, choices and actions affecting wellness and functioning. Mental health conditions include depression, anxiety disorders, post-traumatic stress disorder (PTSD), and substance use disorders, as well as more severe mental illnesses such as bipolar disorder and schizophrenia. Mental health can be impacted by the home and social environment, early childhood adversity or trauma, physical health, and genetics.

## Risk Assessment

An evaluation of a student who may be at-risk for suicide, conducted by the appropriate designated school staff (e.g., school psychologist, mental health professional, school social worker, school counselor, or in some cases, trained school administrator). This assessment is designed to elicit information regarding the student's intent to die by suicide, previous history of suicide attempts, presence of a suicide plan and its level of lethality and availability, presence of support systems, and level of hopelessness and helplessness, mental status, and other relevant risk factors.

## Risk Factors for Suicide

Characteristics or conditions that increase the chance that a person may attempt to take their life. Suicide risk is most often the result of multiple risk factors converging at a moment in time. Risk factors may encompass biological, psychological, and/or social factors in the individual, family, and environment. The likelihood of an

attempt is highest when factors are present or escalating, when protective factors and healthy coping techniques have diminished, and when the individual has access to lethal means.

### Self-Harm

Behavior that is self-directed and deliberately results in injury or the potential for injury to oneself. Self-harm behaviors can be either non-suicidal or suicidal. Although non-suicidal self-injury (NSSI) lacks suicidal intent, youth who engage in any type of self-harm should receive mental health care. Treatment can improve coping strategies to lower the urge to self-harm, and reduce the long-term risk of a future suicide attempt.

### Suicide

Death caused by self-directed injurious behavior with any intent to die as a result of the behavior.

NOTE: The coroner's or medical examiner's office must first confirm that the death was a suicide before any school official may state this as the cause of death. Additionally, parent or guardian preference shall be considered in determining how the death is communicated to the larger community.

### Suicide Attempt

A self-injurious behavior for which there is evidence that the person had at least some intent to die. A suicide attempt may result in death, injuries, or no injuries. A mixture of ambivalent feelings, such as a wish to die and a desire to live, is a common experience with most suicide attempts. Therefore, ambivalence is not a reliable indicator of the seriousness or level of danger of a suicide attempt or the person's overall risk.

### Suicidal Behavior

Suicide attempts, injury to oneself associated with at least some level of intent, developing a plan or strategy for suicide, gathering the means for a suicide plan, or any other overt action or thought indicating intent to end one's life.

### Suicidal Ideation

Thinking about, considering, or planning for self-injurious behavior that may result in death. A desire to be dead without a plan or the intent to end one's life is still considered suicidal ideation and shall be taken seriously.

### Suicide Contagion

The process by which suicidal behavior or a suicide completion influences an increase in the suicide risk of others. Identification, modeling, and guilt are each thought to play a role in contagion. Although rare, suicide contagion can result in a cluster of suicides within a community.

### Postvention

Suicide postvention is a crisis intervention strategy designed to assist with the grief process following suicide loss. This strategy, when used appropriately, reduces the risk of suicide contagion, provides the support needed to help survivors cope with a suicide death, addresses the social stigma associated with suicide, and disseminates factual information after the death of a member of the school community. Often a community or school's healthy postvention effort can lead to readiness to engage further with suicide prevention efforts and save lives.

# Prevention

## District Policy Implementation

The district suicide task force and building principal shall be responsible for planning and coordinating implementation of this policy for the school and district. The school crisis team will act as a point of contact in each school for issues relating to suicide prevention and policy implementation. All staff members shall report students they believe to be at-risk for suicide to the school crisis team or appropriate school mental health therapist.

## Staff Professional Development

All staff shall receive, at minimum, annual professional development on risk factors, warning signs, protective factors, response procedures, referrals, postvention, and resources regarding youth suicide prevention. The professional development shall include additional information regarding groups of students at elevated risk for suicide, including those living with mental and/or substance use disorders, those who engage in self-harm or have attempted suicide, those in out-of-home settings (e.g., youth in foster care, group homes, incarcerated youth), those experiencing homelessness, American Indian/Alaska Native students, LGBTQ (Lesbian, Gay, Bisexual, Transgender, Queer and Questioning) students, students bereaved by suicide, and those with medical conditions or certain types of disabilities. Additional professional development in risk assessment and crisis intervention shall be provided to school-based mental health professionals and school nurses.

## Youth Suicide Prevention Programming

Developmentally appropriate, student-centered education materials shall be integrated into the curriculum of health classes and other classes as appropriate. The content of these age-appropriate materials shall include the importance of safe and healthy choices and coping strategies focused on resiliency building, and how to recognize risk factors and warning signs of mental health conditions and suicide in oneself and others. The content shall also include help-seeking strategies for oneself or others and how to engage school resources and refer friends for help.

## Publication and Distribution

This policy shall be distributed annually, at the beginning of every school year, and be included in all student and teacher handbooks, and on the school website. All school personnel are expected to know and be accountable for following all policies and procedures regarding suicide prevention.

# Intervention

## Assessment and Referral

When a student is identified by a peer, educator or other source as potentially suicidal — i.e., verbalizes thoughts about suicide, presents overt risk factors such as agitation or intoxication, an act of self-harm occurs, or expresses or otherwise shows signs of suicidal ideation — the student shall be seen by a school-based mental health professional, such as a mental health therapist, mental health associate, school psychologist, school counselor, school social worker, within the same school day to assess risk and facilitate referral if necessary. Educators shall also be aware of written threats and expressions about suicide and death in school assignments. Such incidents require immediate referral to the appropriate school-based mental health professional. If there is no mental health professional available, a designated staff member (e.g., school nurse or administrator) shall address the situation according to district protocol until a mental health professional is brought in.

## For At-Risk Youth

- School staff shall continuously supervise the student to ensure their safety until the assessment process is complete.
- Principal or designee shall be made aware of the situation as soon as reasonably possible
- The school-based mental health professional or principal shall contact the student's parent or guardian, as described in the Parental Notification Involvement section and in compliance with existing state law/ district policy (if applicable), and shall assist the family with urgent referral
- Urgent referral may include, but is not limited to, working with the parent or guardian to set up an outpatient mental health or primary care appointment and conveying the reason for referral to the healthcare provider; in some instances, particularly life-threatening situations, the school may be required to contact emergency services, or arrange for the student to be transported to the local Emergency Department, preferably by a parent or guardian
- If parental abuse or neglect is suspected or reported, the appropriate state protection officials (e.g., local Child Protection Services) shall be contacted in lieu of parents as per law
- Staff will ask the student's parent or guardian, and/or eligible student, for written permission to discuss the student's health with outside care providers, if appropriate

## When School Personnel Need to Engage Law Enforcement

A school's crisis response plan shall address situations when school personnel need to engage law enforcement. When a student is actively suicidal and the immediate safety of the student or others is at-risk (such as when a weapon is in the possession of the student), school staff shall call 911 immediately. The staff calling shall provide as much information about the situation as possible, including the name of the student, any weapons the student may have, and where the student is located. School staff may tell the dispatcher that the student is a suicidal emotionally disturbed person, or "suicidal EDP", to allow for the dispatcher to send officers with specific training in crisis de-escalation and mental illness.



# Parental Notification and Involvement

The principal, designee, or school mental health professional shall inform the student's parent or guardian on the same school day, or as soon as possible, any time a student is identified as having any level of risk for suicide or if the student has made a suicide attempt (pursuant to school/state codes, unless notifying the parent will put the student at increased risk of harm). Following parental notification and based on initial risk assessment, the principal, designee, or school mental health professional may offer recommendations for next steps based on perceived student need. These can include but are not limited to, an additional, external mental health evaluation conducted by a qualified health professional or emergency service provider.

When a student indicates suicidal intent, schools shall attempt to discuss safety at home, or "means safety" with parent or guardian, limiting the student's access to mechanisms for carrying out a suicide attempt e.g., guns, knives, pills, etc. In addition, during "means counseling", which can also include safety planning, it is imperative to ask parents whether or not the individual has access to firearms, medication or other lethal means.

## **Lethal means counseling shall include discussing the following:**

### Firearms

- Inquire of the parent or guardian if firearms are kept in the home or are otherwise accessible to the student
- Recommend that parents store all guns away from home while the student is struggling — e.g., following state laws, store their guns with a relative, gun shop, or police
- Discuss parents' concerns and help problem-solve around offsite storage, and avoid a negative attitude about guns — accept parents where they are, but let them know offsite storage is an effective, immediate way to protect the student
- Explain that in-home locking is not as safe as offsite storage, as children and adolescents sometimes find the keys or get past the locks — If there are no guns at home:
- Ask about guns in other residences (e.g., joint custody situation, access to guns in the homes of friends or other family members) — If parent won't or can't store offsite:
- The next safest option is to unload guns, lock them in a gun safe, and lock ammunition separately (or don't keep ammunition at home for now)
- If guns are already locked, ask parents to consider changing the combination or key location — parents can be unaware that the student may know their "hiding" places

### Medications

- Recommend the parent or guardian lock up all medications (except rescue meds like inhalers), either with a traditional lock box or a daily pill dispenser
- Recommend disposing of expired and unneeded medications, especially prescription pain pills
- Recommend parent maintain possession of the student's medication, only dispensing one dose at a time under supervision

— If parent won't or can't lock medication, advise they prioritize and seek specific guidance from a doctor or pharmacist regarding the following:

- Prescriptions, especially for pain, anxiety or insomnia
- Over-the-counter pain pills

- Over-the-counter sleeping pills Staff will also seek parental permission, in the form of a Release of Information form, to communicate with outside mental health care providers regarding the student's safety plan and access to lethal means.

## Re-entry Procedure

For students returning to school after a mental health crisis (e.g., suicide attempt or psychiatric hospitalization), whenever possible, a school-based mental health professional, the principal, or designee shall meet with the student's parent or guardian, and if appropriate, include the student to discuss re-entry. This meeting shall address next steps needed to ensure the student's readiness for return to school and plan for the first day back. Following a student hospitalization, parents may be encouraged to inform the school counselor of the student's hospitalization to ensure continuity of service provision and increase the likelihood of a successful re-entry.

1. A school-based mental health professional or other designee shall be identified to coordinate with the student, their parent or guardian, and any outside health care providers. The school-based mental health professional shall meet with the student and their parents or guardians to discuss and document a re-entry procedure and what would help to ease the transition back into the school environment (e.g., whether or not the student will be required to make up missed work, the nature of check-in/check-out visits, etc.). Any necessary accommodations shall also be discussed and documented.
2. While not a requirement for re-entry, the school may coordinate with the hospital and any external mental health providers to assess the student for readiness to return to school.
3. The designated staff person shall periodically check-in with the student to help with readjustment to the school community and address any ongoing concerns, including social or academic concerns.
4. The school-based mental health professional shall check-in with the student and the student's parents or guardians at an agreed upon interval depending on the student's needs either on the phone or in person for a mutually agreed upon time period (e.g. for a period of three months). These efforts are encouraged to ensure the student and their parents or guardians are supported in the transition, with more frequent check-ins initially, and then fading support.
5. The administration shall disclose to the student's teachers and other relevant staff (without sharing specific details of mental health diagnoses) that the student is returning after a medically-related absence and may need adjusted deadlines for assignments. The school-based mental health professional shall be available to teachers to discuss any concerns they may have regarding the student after re-entry.

# In-School Suicide Attempts

In the case of an in-school suicide attempt, the physical and mental health and safety of the student are paramount. In these situations:

1. First aid shall be rendered until professional medical services and/or transportation can be received, following district emergency medical procedures
2. School staff shall supervise the student to ensure their safety
3. Staff shall move all other students out of the immediate area as soon as possible
4. The school-based mental health professional or principal shall contact the student's parent or guardian.
5. Staff shall immediately notify the principal or designee regarding the incident of in-school suicide attempt
6. The school shall engage the crisis team as necessary to assess whether additional steps should be taken to ensure student safety and well-being, including those students who may have had emotional or physical proximity to the victim
7. Staff shall request a mental health assessment for the student as soon as possible

# Out-of-School Suicide Attempts

If a staff member becomes aware of a suicide attempt by a student that is in progress in an out-of-school location, the staff member shall:

1. Call 911 (police and/or emergency medical services)
2. Inform the student's parent or guardian
3. Inform the school principal or designee. If the student contacts the staff member and expresses suicidal ideation, the staff member shall maintain contact with the student (either in person, online, or on the phone) and then enlist the assistance of another person to contact the police while maintaining engagement with the student.

# After a Suicide Death

## Development and Implementation of a Crisis Response Plan

The crisis response team, led by a Principal or designee, shall develop a crisis response plan to guide school response following a death by suicide. This plan may be applicable to all school community related suicides whether it be student (past or present), staff, or other prominent school community members. Ideally, this plan shall be developed long before it is needed. A meeting of the crisis team to implement the plan shall take place immediately following word of the suicide death, even if the death has not yet been confirmed to be a suicide.

## Action Plan Steps

### **Step 1: Get the Facts**

The school Principal or other designated school official (e.g. the school's principal or superintendent) shall confirm the death and determine the cause of death through communication with the student's parent or

guardian, the coroner's office, local hospital, or police department. Before the death is officially classified as a suicide by the coroner's office, the death shall be reported to staff, students, and parents or guardians, with an acknowledgement that its cause is unknown. When a case is perceived as being an obvious instance of suicide, it shall not be labeled as such until after a cause of death ruling has been made. If the cause of death has been confirmed as suicide but the parent or guardian prefers the cause of death not be disclosed, the school may release a general statement without disclosing the student's name (e.g., "We had a ninth-grade student die over the weekend"). If the parents do not want to disclose cause of death, an administrator or mental health professional from the school who has a good relationship with the family shall be designated to speak with the parents to explain the benefits of sharing mental health resources and suicide prevention with students. If the family refuses to permit disclosure, schools may state "The family has requested that information about the cause of death not be shared at this time." Staff may also use the opportunity to talk with students about suicide.

### **Step 2: Assess the Situation**

The crisis response team shall meet to prepare the postvention response according to the crisis response plan. The team shall consider how the death is likely to affect other students, and determine which students are most likely to be affected. The crisis response team shall also consider how recently other traumatic events have occurred within the school community and the time of year of the suicide. The team and principal shall triage staff first, and all teachers directly involved with the victim shall be notified in-person and offered the opportunity for support.

### **Step 3: Share Information**

Inform the faculty and staff that a sudden death has occurred, preferably in an all-staff meeting. The crisis response team shall provide a written statement for staff members to share with students and also assess staff's readiness to provide this message in the event a designee is needed. The statement shall include the basic facts of the death and known funeral arrangements (without providing details of the suicide method), recognition of the sorrow the news will cause, and information about the resources available to help students cope with their grief. Staff shall respond to questions only with factual information that has been confirmed. Staff shall dispel rumors with facts, be flexible with academic demands, encourage conversations about suicide and mental health, normalize a wide range of emotional reactions, and know the referral process and how to get help for a student. Avoid public address system announcements and school-wide assemblies in favor of face-to-face notifications, including small-group and classroom discussions. The crisis response team may prepare a letter — with the input and permission from the student's parent or guardian — to communicate with parents which includes facts about the death, information about what the school is doing to support students, the warning signs of suicidal behavior, and a list of resources available. If necessary, a parent meeting may also be planned. Staff shall direct all media inquiries to the designated school or district spokesperson.

### **Step 4: Avoid Suicide Contagion**

Actively triage particular risk factors for contagion, including emotional proximity (e.g., siblings, friends, or teammates), physical proximity (witness, neighbor) and pre-existing mental health issues or trauma. Explain in an all-staff meeting that one purpose of trying to identify and provide services to other high-risk students is to prevent another death. The crisis response team shall work with teachers to identify students who are most likely to be significantly affected by the death, or who exhibit behavioral changes indicating increased risk. In the staff meeting, the crisis response team shall review suicide warning signs and procedures for referring

students who present with increased risk. For those school personnel who are concerned that talking about suicide may contribute to contagion, it has been clearly demonstrated through research that talking about mental health and suicide in a nonjudgmental, open way that encourages dialogue and help-seeking does not elevate risk.

### **Step 5: Initiate Support Services**

Students identified as being more likely to be affected by the death will be assessed by a school mental health professional to determine the level of support needed. The crisis response team shall coordinate support services for students and staff in need of individual and small group counseling as needed. School-based mental health professionals will provide on-going and long term support to students impacted by the death of the student, as needed. If long term intensive services by a community provider are warranted, the school-based mental health professionals will collaborate with that provider and the family to ensure continuity of care between the school, home, and community. Together with parents or guardians, crisis response team members shall provide information for partner community mental health providers, or providers with appropriate expertise, to ensure a smooth transition from the crisis intervention phase to meeting underlying or ongoing mental health needs. These discussions may include debriefing (orientation to the facts), reflection on memories, reminders for and re-teaching of coping skills, and encouraging spending time with friends and caregivers as soon as possible. Students and staff affected by the suicide death shall be encouraged to return to a normal routine as much as possible, understanding that some deviation from routine is to be expected.

### **Step 6: Develop Memorial Plans**

The school shall develop policy regarding memorialization due to any cause and strive to treat all deaths the same way. Avoid planned on-campus physical memorials (e.g. photos, flowers, locker displays), funeral services, tributes, or flying the flag at half-staff, because it may inadvertently sensationalize the death and encourage suicide contagion among vulnerable students. Spontaneous memorials may occur from students expressing their grief. Cards, letters, and pictures may be given to the student's family after being reviewed by school administration. If items indicate that additional students may be at increased risk for suicide and/or in need of additional mental health support (e.g. writing about a wish to die or other risk behavior), outreach shall be made to those students to help determine level of risk and appropriate response. The school shall also leave a notice for when the memorial will be removed and given to the student's family. Online memorial pages shall use safe messaging, include resources to obtain information and support, be monitored by an adult, and be time limited. School shall not be canceled for the funeral or for reasons related to the death. Any school-based memorials (e.g., small gatherings) shall include a focus on how to prevent future suicides and prevention resources available.

*It is noteworthy that even articles that are inappropriate to share with families may have been therapeutic for the students to create. Allowing for these memorials to stay in place for a brief period up to the funeral (up to approximately five days), and monitoring memorials while in place, is recommended to avoid hostile and glamorizing messaging and to monitor for at-risk students.*

### **Step 7: Postvention as Prevention**

Following a student suicide, schools may take the initiative to review and/or revise existing policies.

## External Communication

The school or district-appointed spokesperson shall be the sole media spokesperson. Staff shall refer all inquiries from the media directly to the spokesperson.

The spokesperson shall:

- Keep the district superintendent and school crisis response team informed of school actions relating to the death
- Prepare a statement for the media, which may include the facts of the death, postvention plans, and available resources — the statement shall not include confidential information, speculation about victim motivation, means of suicide, or personal family information

The school or district-appointed spokesperson shall answer all media inquiries. If a suicide is to be reported by news media, the spokesperson shall encourage reporters to follow safe messaging guidelines (e.g. not to make it a front-page story, not to use pictures of the suicide victim, not to use the word suicide in the caption of the story, not to describe the method of suicide, and not to use the phrase “suicide epidemic”) to mitigate the risk of suicide contagion. The spokesperson shall encourage media not to link bullying to suicide, and not to speculate about the reason for suicide and instead offer the community information on suicide risk factors, warning signs, and resources available.

# Student Handbook

Protecting the health and well-being of all students is of utmost importance to the school district. The school board has adopted a suicide prevention policy which will help to protect all students through the following steps:

- Students will learn about recognizing and responding to warning signs of suicide in friends, using coping skills, support systems, and seeking help for themselves and friends. This curricular content will occur in all health classes throughout the school year, not just in response to a suicide, and the encouragement of help-seeking behavior will be promoted at all levels of the school leadership and stakeholders
- Each school Principal or designee will serve as a point of contact for students in crisis and to refer students to appropriate resources
- When a student is identified as being at-risk, a risk assessment will be completed by a trained school staff member who will work with the student and help connect the student to appropriate local resources
- Students will have access to national resources that they can contact for additional support, such as:
  - National Suicide Prevention Lifeline: **1-800-273-TALK (8255)** [suicidepreventionlifeline.org](https://suicidepreventionlifeline.org)
  - The Trevor Lifeline: **1-866-488-7386** [thetrevorproject.org/get-help-now](https://thetrevorproject.org/get-help-now)
  - **Trevor Lifeline Text/Chat Services, available 24/7 Text "TREVOR" to 678-678**
  - Crisis Text Line: **Text TALK to 741-741** [crisistextline.org](https://crisistextline.org)

All school personnel and students will be expected to help create a school culture of respect and support, in which students feel comfortable seeking help for themselves or friends. Students are encouraged to tell any staff member if they or a friend are feeling suicidal, or are in need of help. While confidentiality and privacy are important, students should know that when there is risk of suicide, safety comes first. For a more detailed review of policy changes, please see the district's full suicide prevention policy.

# School-Based Mental Health Support

Access to school-based mental health resources and access to school-based mental health support directly improves students' physical and psychological safety, academic performance, cognitive performance and learning, and social/emotional development. School-based mental health professionals (school counselors, school psychologists, school social workers, and in some cases, school nurses) ensure that resources are high quality, effective, and developmentally appropriate to the school context. School-based mental health professionals are specially trained in the interconnectivity among school law, school system functioning, learning, mental health, and family systems. This training ensures that mental health resources are properly and effectively infused into the learning environment. These professionals can support both instructional leaders' and teachers' abilities to provide a safe school setting and the optimum conditions for teaching and learning. Having these professionals as integrated members of the school staff empowers principals and administrators to more efficiently and effectively deploy resources, ensure coordination of resources, evaluate their effectiveness, and adjust supports to meet the dynamic needs of their student populations. Improving access also allows for enhanced collaboration with community providers to meet the more intense or clinical needs of students. Each school should provide important suicide prevention information on their website that includes local and national crisis resources, the warning signs of suicide, and who to contact for the school district if a parent or student is concerned about someone being suicidal.



# Risk Factors and Protective Factors

## Risk Factors for Suicide

Risk factors are characteristics or conditions that increase the chance that a person may try to attempt suicide. Suicide risk tends to be highest when someone has several risk factors at the same time, or has long standing risk factors and experiences a sudden or devastating setback. These factors interact, and the more there are and the more they intensify, the greater the risk.

### **The most frequently cited risk factors for suicide are:**

- Mental health conditions:
  - Major depression (feeling down, withdrawn or agitated in a way that impacts daily life)
  - Bipolar disorder (extreme mood swings)
  - Substance use disorders (alcohol, prescribed and illicit drugs)
  - Anxiety disorders (excessive worry, obsessions or panic attacks)
  - Eating disorders
- Hopelessness
- Problems with alcohol or drugs
- Past suicide attempt(s)
- Family history of suicide or mental health problems
- Problems with impulse control and aggression
- Serious medical condition and/or pain
- Personality traits that create a pattern of intense, unstable relationships, or trouble with the law
- Psychosis, i.e., marked change in behavior, unusual thoughts, and behavior or confusion about reality
- History of early childhood trauma, abuse, neglect, or loss
- Current family stress or transitions
- History of head trauma

## Protective Factors for Suicide

Protective factors are characteristics or conditions that may help to decrease a person's suicide risk. Protective factors for suicide have not been studied as thoroughly as risk factors, so less is known about them. These factors do not eliminate the possibility of suicide, especially in someone with risk factors. Protective factors help to create resiliency, or an ability to "bounce back" from setbacks encountered throughout life.

### **Protective factors for suicide include:**

- Receiving effective mental health care
- Positive connections to family, peers, and community
- Access to welcoming and affirming faith-based institutions, supportive social groups and clubs
- Presence of healthy role models
- Development of coping mechanisms, safety plans, and self-care strategies
- The skills and ability to solve problems
- Cultural, spiritual, or faith-based beliefs that promote connections and help-seeking.

Note that protective factors do not entirely remove risk, but can mitigate against risk. There are brief periods when students with strong protective factors can have them temporarily dismantled by an acute stressor or sudden increase in other risk factors (e.g., if depression worsens, a student's usual positive coping skills and resilience may diminish).

## At-Risk Student Populations

It is important for school districts to be aware of student populations that are at elevated risk for suicidal behavior based on various factors.

### **Youth Living with Mental and/or Substance Use Disorders**

Mental health conditions, in particular depression/dysthymia, attention-deficit hyperactivity disorder, eating disorders, intermittent explosive disorder, and conduct disorder are important risk factors for suicidal behavior among young people. An estimated one in four to five children have a diagnosable mental condition that will cause severe impairment, with the average onset of depression and dysthymia occurring between ages 11 and 14 years; therefore, school staff may play a pivotal role in recognizing and referring the student to treatment that may reduce risk and enhance overall performance and improve long-term outcomes. Though mental health conditions are a risk factor for suicide, the majority of people with mental health concerns do not engage in suicidal behavior.

### **Youth Who Engage in Self-Harm or Have Attempted Suicide**

Suicide risk is significantly higher among those who engage in non-suicidal self-harm than among the general population. Whether or not they report suicidal intent, one study found that 70 percent of adolescents admitted into inpatient psychiatric treatment who engage in self-harm report attempting suicide at least once in their life. Additionally, a previous suicide attempt is a known powerful risk factor for suicide death. One study found that as many as 88 percent of people who attempt suicide for the first time and are seen in the Emergency Department go on to attempt suicide again within two years. Many adolescents who attempt suicide do not receive necessary follow-up care for many reasons, including limited access to resources (transportation, insurance, copays, parental consent, etc.).

### **Youth in Out-of-Home Settings**

Youth involved in the juvenile justice or child welfare systems have a high prevalence of risk factors for suicide. As much as 60 to 70 percent of young people involved in the juvenile justice system meet criteria for at least one psychiatric disorder, and youth in juvenile justice residential programs are three times more likely to die by suicide than the general youth population. According to a study released in 2018, nearly a quarter of youth in foster care had a diagnosis of major depression in the last year. Additionally, a quarter of foster care youth reported attempting suicide by the time they were 17.5 years old.

### **Youth Experiencing Homelessness**

For youth experiencing homelessness, the rate of self-injury, suicidal ideation, and suicide attempts is over two times greater than those of the adolescent population in general. These young people also have higher rates of mood disorders, conduct disorder, and post-traumatic stress disorder. One study found that more than half of runaway and homeless youth experience suicidal ideation.

### **American Indian/Alaska Native (AI/AN) Youth**

In 2017, the rate of suicide among AI/AN youth ages 15-19 was over 1.6 times that of the general youth population. Risk factors that can affect this group include substance use, discrimination, lack of access to

mental health care, and historical trauma. For more information about historical trauma and how it can affect AI/AN youth, see [ihhs.gov/suicideprevention](https://www.ihhs.gov/suicideprevention).

### **LGBTQ (Lesbian, Gay, Bisexual, Transgender, Queer or Questioning) Youth**

The CDC finds that LGB youth are 4.5 times more likely, and questioning youth are over twice as likely to consider attempting suicide as their heterosexual peers. One study found that 40 percent of transgender people attempted suicide sometime in their lifetime — of those who attempted, 73 percent made their first attempt before the age of 18. Suicidal behavior among LGBTQ youth can be related to experiences of discrimination, family rejection, harassment, bullying, violence, and victimization. For those youth with baseline risk for suicide (especially those with a mental health condition), these experiences can place them at increased risk. It is not their sexual orientation or gender identity that place LGBTQ youth at greater risk of suicidal behavior, but rather these societal and external factors: the way they are treated, shunned, abused, or neglected, in concert with other individual factors such as mental health history.

### **Youth Bereaved by Suicide**

Studies show that those who have experienced suicide loss, through the death of a friend or loved one, are nearly four times as likely to attempt suicide themselves.

### **Youth Living with Medical Conditions or Disabilities**

A number of physical conditions are associated with an elevated risk for suicidal behavior. Some of these conditions include chronic pain, loss of mobility, disfigurement, cognitive delays that make problem-solving a challenge, and other chronic limitations. Adolescents with asthma are more likely to report suicidal ideation and behavior than those without asthma. Additionally, studies show that suicide rates are significantly higher among people with certain types of disabilities, such as those with multiple sclerosis or spinal cord injuries.

## District Safety Task Force

The purpose of such a task force is to provide advice to the district administration and school board regarding suicide prevention activities and policy implementation, and to keep aware of current research, data, trends, and evolving best practices.

North Monterey County Unified School District's Task Force Includes the following:

1. District Superintendent
2. Assistant Superintendent for Student and Family Services
3. Mental Health Leads
4. Director of Special Services
5. School Resource Officer (SRO)

# Referrals and LGBTQ Youth

LGBTQ youth are at heightened risk for suicidal behavior, which may be related to experiences of discrimination, family rejection, harassment, bullying, violence, and victimization. It is therefore especially important that school staff be trained to support at-risk LGBTQ youth with sensitivity, cultural competency, and affirming practices. School staff should not make assumptions about a student's sexual orientation or gender identity, and should validate students who do decide to disclose this information. Information about a student's sexual orientation or gender identity should be treated as confidential and not disclosed to parents, guardians, or third parties without the student's permission. In the case of parents who have exhibited rejecting behaviors, great sensitivity needs to be taken in what information is communicated with parents. Additionally, when referring students to out-of-school resources, it is important to connect LGBTQ students with LGBTQ-affirming local health and mental health service providers. Affirming service providers are those that adhere to best practices guidelines regarding working with LGBTQ clients as specified by their professional association (e.g., [apa.org/pi/lgbt/resources/guidelines.aspx](https://www.apa.org/pi/lgbt/resources/guidelines.aspx)).

## Bullying and Suicide

The relationship between bullying and suicide is highly complex, as is the relationship between suicide and other negative life events. Research indicates that persistent bullying can lead to or worsen feelings of isolation, rejection, exclusion and despair, as well as depression and anxiety, which can contribute to suicidal behavior in those at-risk. While studies have shown that young people who are bullied and those who bully others are at heightened risk for suicidal behavior, youth who exhibit both pre-existing risk for suicide (e.g., a history of depression, anxiety, substance use or other health conditions) and who are concurrently involved in bullying or experiencing other negative life events are at highest risk. Individuals who are bullied in the absence of other risk factors have far fewer negative outcomes than those with pre-existing risk for suicide. Youth who bully are also at-risk, and their behavior may reflect underlying mental health problems or previous childhood trauma. One study found that those who are bullied (cyber or in person) are 19 times more likely to experience suicidal ideation than youth with no history of bullying. It is imperative to convey safe and accurate messages about bullying and suicide to youth, especially to young people who may be at-risk for suicide. Suggesting that suicide is a natural response to bullying, or providing repeated opportunities for at-risk students to see their own experiences of bullying, isolation, or exclusion reflected in stories of those who have died by suicide, can increase contagion risk by contributing to thoughts that frame suicide as a viable solution. Idealizing young people who complete suicide after being bullied or creating an aura of celebrity around them may contribute to an at-risk student's illogical thoughts that suicide is the only way to have a voice or to make a difference for others. However, when school personnel know that a student is involved in bullying, they should not hesitate to ask students direct questions about thoughts of suicide. Whenever possible, discussions on bullying and suicide should center on prevention and resiliency, not statistics, and should encourage help-seeking behavior.

# Relevant State Laws

The following types of state laws can enhance a school's ability to effectively identify, intervene with, and support students at-risk for suicidal behavior.

## **Mandate Suicide Prevention Training for School Personnel**

Training mandates help to ensure that all school staff members understand suicide risk and the referral process and have the skills and confidence to act when they suspect a student may be suicidal. Ideally, those mandates will apply to all school personnel who interact directly with students, not just licensed staff. Stronger state laws specify how much training is required and how often that training must occur (e.g., two hours, annually). Typically, states allow suicide prevention training hours to count toward any existing professional development or continuing education requirements for certification or licensure.

## **Mandate School Policies in Suicide Prevention, Intervention, and Postvention**

Many states are now requiring school districts to create and implement a policy or protocol on suicide prevention, intervention, and postvention, to support existing mandates for school personnel training. Many also require the state department of education (or similar lead agency) to develop a model policy to assist school districts and to set minimum content requirements for district policies. This Model School District Policy on Suicide Prevention can be an ideal starting point for implementation of these laws.

## **Allow Youth Access to Mental Health Care**

Some states require youth under age 18 to receive parental permission before seeking mental health care, while others limit mental health confidentiality, which can be an especially damaging problem for LGBTQ youth. Minor assent laws, which allow for those under the age of 18 to seek needed medical, mental health, and substance abuse care without parental consent, are imperative.

## **Ensure Anti-Bullying and Nondiscrimination Policies**

While the majority of states have adopted some form of state-level anti-bullying and anti-harassment legislation, not all states specifically prohibit bullying and harassment on the basis of sexual orientation and gender identity. Visit [stopbullying.gov/laws](http://stopbullying.gov/laws) to find your state's current anti-bullying law and/or policy.

## **Eliminate Laws that Stigmatize, Isolate, or Allow for Criminalization of LGBTQ Youth**

Typically referred to as "No Promo Homo" or "Don't Say Gay" laws, these policies ban educators from talking about LGBTQ people, issues or history, or only allow negative discussion. These laws keep supportive teachers Model School District Policy on Suicide Prevention | Model Language, Commentary, and Resources from speaking out in the classroom and may restrict or even eliminate vital safe spaces and affirming resources for LGBTQ youth, including activities, clubs, and discussions that support LGBTQ students. Research shows that schools that eliminate gender-based practices (e.g., battle of the sexes at pep rallies, gender-based dress requirements for school performances) provide a relatively more inclusive environment for LGBTQ students to feel welcome and affirmed. Laws seeking to protect LGBTQ youth from the dangerous and discredited practice of conversion therapy are also important in affirming LGBTQ youth.

# Messaging and Suicide Contagion

Research has shown a link between certain kinds of suicide-related media (including social media) coverage and increases in suicide deaths. Suicide contagion has been observed when the number of stories about individual suicides increases, or when a particular death is reported in great detail. The coverage of a suicide death being prominently featured in a media outlet or on social media, or headlines about specific deaths being framed dramatically have also been observed to contribute to suicide contagion.

Contagion can play a role in cases of self-harm behavior, not to be confused with suicidal behavior. These behaviors may originate with one student and can spread to other students through imitation. Because adolescents are especially vulnerable to the risk of contagion, in the case of a suicide death it is important to acknowledge the student's death in a way that does not inadvertently glamorize or romanticize either the student or the death. Schools can do this by seeking opportunities to emphasize the importance of seeking help for self or others when there is concern about underlying mental health issues, such as depression or anxiety, and provide resources on where to seek help. Although many people who die by suicide do have a diagnosable or known underlying mental health issue, schools can also help students understand the importance of recognizing the signs of suicide, building resilience and coping skills, and helping to decrease the stigma associated with seeking help for mental health concerns.

However, schools should strive to treat all deaths in the same way. Having one approach for memorializing a student who died of cancer or in a car accident and a different approach for a student who died by suicide reinforces stigma and may be deeply and unfairly painful to the student's family and friends.

Finally, it is important for schools to encourage parents and guardians to monitor student social media pages after a death by suicide. Students often turn to social networking websites or apps as outlets for communicating information and expressing their thoughts and feelings about the death. Parents and guardians should be advised to monitor social media accounts for warning signs of suicidal behavior. Students should be encouraged to report concerning social media posts, such as tweets, statuses, and Instagram posts.

*Best practices regarding safe messaging should be used in all communications about suicide, on social media, and in memorials. This is in order to help reduce the risk of contagion. For school personnel who are concerned that talking about suicide may contribute to contagion, research has shown that talking about mental health and suicide in a nonjudgmental, open way that encourages dialogue and help-seeking does not elevate risk.*

# “Go Kit” for Schools




**Everything you need to respond to a suicidal risk or attempt, in the moment.**

Flow Chart



District-Wide Risk Assessment Protocol



Updated: January 2021



**COLUMBIA-SUICIDE SEVERITY RATING SCALE**

*Screen with Triage Points for Schools*

	Past month	
	YES	NO
<b>Ask questions that are in bold and underlined.</b>		
<b>Ask Questions 1 and 2</b>		
<b>1) <u>Have you wished you were dead or wished you could go to sleep and not wake up?</u></b>		
<b>2) <u>Have you had any actual thoughts of killing yourself?</u></b>		
<b>If YES to 2, ask questions 3, 4, 5, and 6. If NO to 2, go directly to question 6.</b>		
<b>3) <u>Have you been thinking about how you might do this?</u></b> e.g. "I thought about taking an overdose but I never made a specific plan as to when where or how I would actually do it....and I would never go through with it."		
<b>4) <u>Have you had these thoughts and had some intention of acting on them?</u></b> as opposed to "I have the thoughts but I definitely will not do anything about them."		
<b>5) <u>Have you started to work out or worked out the details of how to kill yourself? Do you intend to carry out this plan?</u></b>		
<b>6) <u>Have you ever done anything, started to do anything, or prepared to do anything to end your life?</u></b>		<b>Lifetime</b>
Examples: Collected pills, obtained a gun, gave away valuables, wrote a will or suicide note, took out pills but didn't swallow any, held a gun but changed your mind or it was grabbed from your hand, went to the roof but didn't jump; or actually took pills, tried to shoot yourself, cut yourself, tried to hang yourself, etc.		<b>Past 3 Months</b>
<b>If YES, ask: <u>Was this within the past 3 months?</u></b>		

**Response Protocol to C-SSRS Screening**

Item 1 Behavioral Health Referral
Item 2 Behavioral Health Referral
Item 3 Behavioral Health Referral and Consider Consultation (Psychologist/Social Worker) and Student Safety Precautions
Item 4 Student Safety Precautions and psychiatric evaluation by crisis team/EMT/Emergency room
Item 5 Student Safety Precautions and psychiatric evaluation by crisis team/EMT/Emergency room
Item 6 Behavioral Health Referral and Consider Consultation (Psychologist/Social Worker) and Student Safety Precautions
Item 6 3 months ago or less: Student Safety Precautions and psychiatric evaluation by crisis team/EMT/Emergency room

**STUDENT SAFETY PLAN**

(Primary Version) - Total of 5 pages

Name: Valicity Student ID: \_\_\_\_\_ DOB: \_\_\_\_\_ Date: \_\_\_\_\_

**My Triggers:** (Things that make me upset, feel bad, or think about dying.)



Fights at Home



Problems with Friends/Classmates



Trouble at School

Describe: Issues at home,

**When this happens, I feel:**

 <p><b>X HURT</b></p>	 <p><b>MAD</b></p>	<p>X</p>  <p><b>SAD</b></p>	 <p><b>SCARED</b></p>
 <p><b>WORRIED</b></p>	 <p><b>FRUSTRATED</b></p>	 <p><b>LONELY</b></p>	<p><b>CHOOSE YOUR OWN EMOTION</b></p>

## My Warning Signs

*What signs tell me I'm starting to get upset/overwhelmed?*

**Directions:** Write/draw your warning signs in the image below.

Thoughts

### Body Sensations

When I am mad I feel my...

- heart racing
- stomach ache
- sweaty palms

Add your own example in the image on the left

Emotions

### Behaviors


When I am mad I...

- hurt myself
- pick fights
- spend time alone or isolate myself

Add your own example in the image on the left

**My Coping Skills/Healthy Behaviors:** (What are some helpful things that will take my mind off the problem?)


Take deep breath



Relaxation  
Techniques



Play with My Pet



Play with Friends



Draw/Art

Identify your coping skills:

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_


**School Support:** When I feel this way at school, I can go to...



Teacher



Principal, Counselor, Support Staff



Other School Staff

**Name 3 Trusted Adults at School**

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

**Home/Community Support:** When I feel this way at home, I can go to...



Parent/Guardian, Grandparent,  
Adult Sibling, Aunt/Uncle




Church Clergy, Coach, Therapist

### Name 3 Trusted Adults at Home/Community

1. \_\_\_\_\_
2. \_\_\_\_\_
3. \_\_\_\_\_

My Other Thoughts:



## My Crisis Plan and Resources

I or my trusted adult can call...

- **911** for immediate support
- Natividad Medical Center Crisis Team: **1-(831)-755-4111**
- Suicide Prevention Hotlines (24 hours): **1-877-663-5433 (ONE LIFE)**
- Kinship Mobile Response Team: **(831) 687-4379** - bilingual
- California Youth Crisis Line: **1-(800) 843-5200** - bilingual

People I can call ... (list name and phone number)

1. \_\_\_\_\_

2. \_\_\_\_\_

## Signatures

\_\_\_\_\_  
**Student Signature**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Parent/Guardian Name (please print)**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Parent /Guardian Signature**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Administrator/Case Manager (please print)**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Administrator/Case Manager (Signature)**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Administrator/Case Manager Phone**

## SAFETY PLAN - CRISIS PREVENTION PLAN

Name: \_\_\_\_\_

Date: \_\_\_\_\_

**PROBLEM BEHAVIORS:** These are behaviors I sometimes show, especially when I'm stressed:

- |   |   |   |  |  |
|---|---|---|--|--|
| <input type="checkbox"/> Losing my temper               | <input type="checkbox"/> Fighting/Assaulting people | <input type="checkbox"/> Feeling suicidal   | <input type="checkbox"/> Running away  | <input type="checkbox"/> Using other drugs |
| <input type="checkbox"/> Injuring myself                | <input type="checkbox"/> Attempting suicide         | <input type="checkbox"/> Threatening others | <input type="checkbox"/> Using alcohol | <input type="checkbox"/> Feeling unsafe    |
| <input type="checkbox"/> Other (please describe): _____ |   |   |  |  |

**TRIGGERS:** When these things happen, I am more likely to feel unsafe and upset:

- |  |   |   |  |   |
|--|---|---|--|---|
| <input type="checkbox"/> Not being listened to | <input type="checkbox"/> Feeling pressured  | <input type="checkbox"/> Being touched            | <input type="checkbox"/> Lack of privacy         | <input type="checkbox"/> People yelling           |
| <input type="checkbox"/> Loud noises           | <input type="checkbox"/> Feeling lonely     | <input type="checkbox"/> Arguments                | <input type="checkbox"/> Not having control      | <input type="checkbox"/> Being isolated           |
| <input type="checkbox"/> Darkness              | <input type="checkbox"/> Being stared at    | <input type="checkbox"/> Being teased             | <input type="checkbox"/> Particular time of day: | <input type="checkbox"/> Particular time of year: |
| <input type="checkbox"/> Contact with family   | <input type="checkbox"/> Particular person: | <input type="checkbox"/> Other (please describe): | _____  |   |

**WARNING SIGNS:** These are things other people may notice me doing if I begin to lose control:

- |  |  |  |  |  |
|--|--|--|--|--|
| <input type="checkbox"/> Sweating                | <input type="checkbox"/> Breathing hard      | <input type="checkbox"/> Racing heart              | <input type="checkbox"/> Clenching teeth           | <input type="checkbox"/> Clenching fists       |
| <input type="checkbox"/> Red faced               | <input type="checkbox"/> Wringing hands      | <input type="checkbox"/> Loud voice                | <input type="checkbox"/> Sleeping a lot            | <input type="checkbox"/> Sleeping less         |
| <input type="checkbox"/> Acting hyper            | <input type="checkbox"/> Swearing            | <input type="checkbox"/> Bouncing legs             | <input type="checkbox"/> Rocking                   | <input type="checkbox"/> Can't sit still       |
| <input type="checkbox"/> Being Rude              | <input type="checkbox"/> Pacing              | <input type="checkbox"/> Crying                    | <input type="checkbox"/> Squatting                 | <input type="checkbox"/> Damaging things       |
| <input type="checkbox"/> Eating more             | <input type="checkbox"/> Eating less         | <input type="checkbox"/> Not taking care of myself | <input type="checkbox"/> Isolating/avoiding people | <input type="checkbox"/> Laughing loudly/giddy |
| <input type="checkbox"/> Singing inappropriately | <input type="checkbox"/> Becoming very quiet | <input type="checkbox"/> Other (please describe):  | _____  |  |

**INTERVENTIONS:** These are things that might help me calm down and keep myself safe when I'm feeling upset:  
(Check off what you know works; star things you might like to try in the future)

- |  |   |   |  |   |
|--|---|---|--|---|
| <input type="checkbox"/> Time out in my room   | <input type="checkbox"/> Listening to music       | <input type="checkbox"/> Reading a book         | <input type="checkbox"/> Sitting with staff    | <input type="checkbox"/> Pacing                   |
| <input type="checkbox"/> Talking with friends  | <input type="checkbox"/> Talking with an adult    | <input type="checkbox"/> Coloring               | <input type="checkbox"/> Molding clay          | <input type="checkbox"/> Humor                    |
| <input type="checkbox"/> Exercising            | <input type="checkbox"/> A cold cloth on face     | <input type="checkbox"/> Writing in a journal   | <input type="checkbox"/> Punching a pillow     | <input type="checkbox"/> Hugging a stuffed animal |
| <input type="checkbox"/> Taking a hot shower   | <input type="checkbox"/> Taking a cold shower     | <input type="checkbox"/> Playing cards          | <input type="checkbox"/> Video Games           | <input type="checkbox"/> Lying down               |
| <input type="checkbox"/> Ripping paper         | <input type="checkbox"/> Screaming into pillow    | <input type="checkbox"/> Holding ice in my hand | <input type="checkbox"/> Getting a hug         | <input type="checkbox"/> Using the gym            |
| <input type="checkbox"/> Bouncing a ball       | <input type="checkbox"/> Male staff support       | <input type="checkbox"/> Female staff support   | <input type="checkbox"/> Deep breathing        | <input type="checkbox"/> Speaking w/ my therapist |
| <input type="checkbox"/> Drawing               | <input type="checkbox"/> Being read a story       | <input type="checkbox"/> Making a collage       | <input type="checkbox"/> Crying                | <input type="checkbox"/> Snapping bubble wrap     |
| <input type="checkbox"/> Being around others   | <input type="checkbox"/> Doing chores/jobs        | <input type="checkbox"/> Cold water on hands    | <input type="checkbox"/> Drinking hot herb tea | <input type="checkbox"/> Using a rocking chair    |
| <input type="checkbox"/> Calling family (who?) | <input type="checkbox"/> Other (please describe): | _____   |  |   |

**THINGS THAT MAKE IT WORSE:** These are things that do NOT help me calm down or stay safe:

- |  |  |   |  |  |
|--|--|---|--|--|
| <input type="checkbox"/> Being alone                 | <input type="checkbox"/> Being around people | <input type="checkbox"/> Humor                    | <input type="checkbox"/> Not being listened to | <input type="checkbox"/> Peers teasing       |
| <input type="checkbox"/> Being disrespected          | <input type="checkbox"/> Loud tone of voice  | <input type="checkbox"/> Being ignored            | <input type="checkbox"/> Having staff support  | <input type="checkbox"/> Talking to an adult |
| <input type="checkbox"/> Being reminded of the rules | <input type="checkbox"/> Being touched       | <input type="checkbox"/> Other (please describe): |  |  |

Agencies to contact during a crisis:

Suicide Hotline: 1-800- 237-TALK (8255)

Suicide Prevention of Central Coast: 831-649-8008

Suicide Hotline Mo. Co: 1-877-663-5433

Natividad Medical Center Crisis Line: 831-755-4111

Community Hospital of Monterey Peninsula (CHOMP): Emergency Room  
23625 Holman Highway, Monterey, CA 93940-5902  
24 hour Crisis Line: 831-625-4900

- 1) I will try to notice the following warning signs and triggers:
- 2) I'd like staff/my family to notice the following warning signs:
- 3) When I notice these triggers or warning signs, I will take action to prevent a crisis from developing by doing the following:
- 4) When staff/my family notice that I'm getting upset, I'd like them to help me prevent a crisis by doing the following:
- 5) When I handle a potential crisis without doing anything to make it worse, I can reward myself by:
- 6) Other ideas about what to do if a crisis develops:

My Signature: \_\_\_\_\_ Date: \_\_\_\_\_

My Supporter: \_\_\_\_\_ Date: \_\_\_\_\_



## My Crisis Plan and Resources

I or my trusted adult can call...

- **911** for immediate support
- Natividad Medical Center Crisis Team: **1-(831)-755-4111**
- Suicide Prevention Hotlines (24 hours): **1-877-663-5433 (ONE LIFE)**
- Kinship Mobile Response Team: **(831) 687-4379** - bilingual
- California Youth Crisis Line: **1-(800) 843-5200** - bilingual

People I can call ... (list name and phone number)

1. \_\_\_\_\_

2. \_\_\_\_\_

## Signatures

\_\_\_\_\_  
**Student Signature**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Parent/Guardian Name (please print)**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Parent /Guardian Signature**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Administrator/Case Manager (please print)**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Administrator/Case Manager (Signature)**

\_\_\_\_\_  
**Date**

\_\_\_\_\_  
**Administrator/Case Manager Phone**

[Incident Documentation Form](#)

North Monterey County Unified School District

**STUDENT SUICIDE RISK DOCUMENTATION FORM**

STUDENT INFORMATION		
Date:	School:	
Name of Student:		
Date of Birth:	Gender:	Grade:
Name of Parent/Guardian:		
Parent/Guardian's Phone Number(s):		
IDENTIFICATION OF SUICIDE RISK		
Who identified student as being at risk? Indicate name where appropriate.		
<input type="checkbox"/> Student him/herself	<input type="checkbox"/> Parent:	<input type="checkbox"/> Student/Friend:
<input type="checkbox"/> Teacher:	<input type="checkbox"/> Other Staff:	<input type="checkbox"/> Other:
Reason for concern:		
RISK ASSESSMENT		
Name and Title of Assessors:		
Type of assessment conducted: <i>(Circle one or both)</i>	Initial Interview	Full Assessment
Results of assessment: <b>Level of Risk -</b>	<b>No Known Risk</b>	<b>Low Risk</b> <b>Moderate Risk</b> <b>High Risk</b>
Describe: <i>(include information about plan, intent, and means)</i>		
NOTIFICATIONS OF PARENT/GUARDIAN AND STAFF		
Staff who notified parent/guardian:		
Date notified:		
Parent Contact Acknowledgement Form signed:		
Yes	No. If no, provide reason:	
<b>Staff Notifications (Add name and dates)</b>		
School Administrator : _____	School Psychologist: _____	
School Counselor: _____	Teacher: _____	
School Security: _____	Other: _____	
REFERRAL		
<input type="radio"/> School Based Mental Health <input type="radio"/> Student Success Team <input type="radio"/> Mobile Response Team <input type="radio"/> Law Enforcement <input type="radio"/> Other: _____	Date(s) of referral(s):	
Personal Safety Plan developed: _____ (date)		
School-Based Safety Plan developed with staff: _____ (date)		
Staff member to conduct follow-up:	Date of follow-up:	

[Parent Contact Acknowledgement Form \(English\)](#)

**PARENT CONTACT ACKNOWLEDGMENT FORM**

Student Name: \_\_\_\_\_

Date of Birth: \_\_\_\_\_

School: \_\_\_\_\_

Grade: \_\_\_\_\_

This letter is to verify that I have spoken with a member of the school's staff  
\_\_\_\_\_ (name/title) on \_\_\_\_\_ (date)  
concerning my child's suicidal risk.

- I have been made aware of the school's concern regarding my child and have received informational resources and contact information.
- I understand that counseling services will be provided at the school site to address these concerns.
- I have been advised to seek the services of an outside mental health agency or therapist immediately.
- I have been notified that the school referred my child for further mental health evaluation by the School Resource Officer/Local Law Enforcement/Mobile Response Team.

I understand that \_\_\_\_\_ (name of staff member) will follow up with me, my child, and the mental health care provider to whom my child has been referred for services within two weeks.

Parent Signature: \_\_\_\_\_

Date: \_\_\_\_\_

Parent Contact Information:

Phone:

Email:

Staff member Signature: \_\_\_\_\_

Date: \_\_\_\_\_

**FORMULARIO DE RECONOCIMIENTO DE CONTACTO CON LOS PADRES**

Nombre del Estudiante: \_\_\_\_\_ Fecha de Nacimiento: \_\_\_\_\_  
Escuela: \_\_\_\_\_ Grado: \_\_\_\_\_

Este documento verifica que he hablado con un miembro del personal de la escuela,  
\_\_\_\_\_ (nombre/título) el \_\_\_\_\_ (fecha)  
sobre el riesgo suicida de mi hijo(a).

- Me he enterado de la preocupación de la escuela con respecto a mi hijo(a) y he recibido recursos informativos e información de contactos.
- Entiendo que se proporcionarán servicios de consejería en el sitio escolar para abordar este asunto.
- Se me ha aconsejado que busque los servicios de una agencia de salud mental o un terapeuta externo de inmediato.
- Se me ha notificado que la escuela remitió a mi hijo para una evaluación adicional de salud mental por parte del oficial de recursos escolares, las fuerzas del orden locales y/o el equipo de respuesta móvil.

Yo entiendo que \_\_\_\_\_ (nombre del miembro del personal)  
se comunicará, dentro de dos semanas, conmigo, con mi hijo(a), y con el proveedor de atención de salud mental a quien se ha referido mi hijo(a) para recibir servicios.

Firma del Padre: \_\_\_\_\_ Fecha: \_\_\_\_\_

Información de Contacto de los Padres:

Telefono:

Email:

Firma del Miembro del Personal: \_\_\_\_\_ Fecha: \_\_\_\_\_



## North Monterey County Unified School District Parent Consent to Release/Exchange Information

Date: \_\_\_\_\_

To the parents of: \_\_\_\_\_ Date of Birth: \_\_\_\_\_

This consent authorizes information relevant to your child's education to go to, from and between the representatives of the \_\_\_\_\_ (public school agency) and representatives of the agency and/or the individual listed below. This information will be used to assist in assessing your child's overall needs.

Agency or Individual: \_\_\_\_\_

Address: \_\_\_\_\_

Phone: \_\_\_\_\_ Contact (if agency): \_\_\_\_\_

The following information may be exchanged:

- Assessments & Observations conducted by district
- Educational records (e.g., grades, attendance, discipline)
- School health and developmental records (e.g., immunizations, school health care plans)
- Medical records (specify below) from \_\_\_\_\_ to \_\_\_\_\_

- Assessments from other agencies (e.g., Department of Mental Health, private psychological and educational assessments)

Other: \_\_\_\_\_

This authorization shall become effective immediately and shall remain in effect for three (3) years from the date of parent consent unless revoked by the parent prior to expiration of the three-year period.

Requested records will be kept confidential. Access to these files is provided only to those individuals or agencies required or permitted by law or when provided with written parental consent.

### **PARENT CONSENT**

I consent to the exchange of information between the agency or individual listed above and the identified public education agency. I understand that I may cancel all or any part of this consent by written notification at any time.

Signature of Parent/ Adult Student: \_\_\_\_\_ Date: \_\_\_\_\_

### **SEND REPORTS TO**

Agency: \_\_\_\_\_ Department: \_\_\_\_\_

Address: \_\_\_\_\_ City: \_\_\_\_\_ State: \_\_\_\_\_ Zip Code: \_\_\_\_\_

Attention: \_\_\_\_\_ Fax: \_\_\_\_\_ Phone: \_\_\_\_\_



## North Monterey County Unified School District

### Consentimiento de los Padres Para Otorgar/Intercambiar Información

Fecha: \_\_\_\_\_

A los padres de: \_\_\_\_\_ Fecha de Nacimiento: \_\_\_\_\_

Este consentimiento autoriza qué información relevante de la educación de su hijo vaya a, de y entre los representantes de \_\_\_\_\_ (agencia escolar pública) y representantes de la agencia y/o del individuo que se enlista abajo. Esta información se usara para ayudar a evaluar las necesidades generales de su hijo(a).

Agencia o Individuo: \_\_\_\_\_

Domicilio: \_\_\_\_\_

Teléfono: \_\_\_\_\_ Contacto (si es agencia): \_\_\_\_\_

La siguiente información pudiera ser intercambiada:

- Evaluaciones conducidas y Observaciones del estudiante
- Registros educativos (ej. grados, asistencia, disciplina)
- Registros escolares de salud y de desarrollo (ej. vacunas, planes escolares de cuidado de salud)
- Registros médicos (especifique abajo) desde \_\_\_\_\_ a \_\_\_\_\_

- Evaluaciones de otras agencias (ej. Departamento de Salud Mental, evaluaciones psicológicas y educativas privadas)
- Otro: \_\_\_\_\_

Esta autorización entrará en vigor inmediatamente, y tendrá vigor por tres (3) años desde el día en que el padre dé su consentimiento, a menos que el padre revoque su autorización antes de que expire el período de tres años. Los documentos solicitados se mantendrán confidenciales. Se permitirá acceso a esos archivos a solamente aquellos individuos o agencias a quienes permite la ley, o a alguien a quien el padre autorice por escrito.

#### **CONSENTIMIENTO PARENTAL**

Yo doy mi consentimiento para que haya intercambio de información entre la agencia o el individuo que se enlista arriba con la agencia educativa pública señalada. Yo entiendo que pudiera cancelar en cualquier momento todo o parte de este consentimiento, al efectuar por escrito una notificación.

Firma del Padre/Estudiante Adulto: \_\_\_\_\_ Fecha: \_\_\_\_\_

#### **ENVÍE LOS REPORTES A**

Agencia: \_\_\_\_\_ Departamento: \_\_\_\_\_

Domicilio: \_\_\_\_\_ Ciudad: \_\_\_\_\_ Estado: \_\_\_\_\_ Código Postal: \_\_\_\_\_

Atención: \_\_\_\_\_ Fax: \_\_\_\_\_ Teléfono: \_\_\_\_\_

# Resources

## Release of Information for Local Agencies

- [Stanford Release](#)
- [Stanford Release \(Spanish\)](#)
- [CHOMP Release](#)
- [CHOMP Release\(Spanish\)](#)
- [Natividad Release](#)
- Natividad Release(Spanish)
- [Memorial Release](#)
- [Memorial Release\(Spanish\)](#)

## [Preventing Suicide: A Toolkit for HighSchools](#)

### Local Resources:

Call 911 for immediate assistance and be sure to ask for personnel trained on 5150 Holds.

Monterey County Crisis Team @ Natividad: (831) 755-4111

24-Hour Suicide Crisis Line: 1-877-663-5433 (ONE LIFE)

Kinship Mobile Response Team: (831) 6874379 (Brochures in [English](#) & [Spanish](#))

## [NAMI Monterey County Resources](#)

### National Resources:

National Suicide Prevention Lifeline: **1-(800) 273-TALK** or **1-(800) 273-8255** **1-(800) SUICIDE** or **1-(800) 784-2433**

*California Youth Crisis Line:* **1-(800) 843-5200** – bilingual

*TEEN LINE:* **1-(800) TLC-TEEN** – a teen-to-teen hotline with community outreach services, from 6pm-10pm PST daily. Text, email and message board also available, with limited hours-visit <http://teenlineonline.org> for more information.

*The Trevor Project:* **1-(866) 4-U-TREVOR** or **1-(866) 488-7386** – a 24-hour crisis line that provides crisis intervention and suicide prevention services to lesbian, gay, bisexual, transgender and questioning (LGBTQ) young people ages 13-24. Text and chat also available, with limited hours- visit [www.thetrevorproject.org](http://www.thetrevorproject.org) for more information.